

Report Transmission Cover Page

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
T0B 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

Contact & Affiliation	Address	Delivery Commitments
Barb Symon County of Vermilion River #24	, Box 69 Kitscoty, Alberta T0B 2P0 Phone: (780) 846-2244 Fax: (780) 846-2716 Email: bsymon@county24.com	On [Lot Approval and Final Test Report Approval] send (COC, Test Report, Invoice) by Email - Merge Reports
Darrell Stefanick County of Vermilion River #24	, Box 69 Kitscoty, Alberta T0B 2P0 Phone: (780) 846-2244 Fax: (780) 846-2716 Email: dstefanick@county24.com	On [Lot Verification] send (COA) by Email - Single Report On [Report Approval] send (COC, Test Report) by Email - Merge Reports On [Lot Creation] send (COR) by Email - Single Report

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

	Reference Number	1113421-1	1113421-2		
	Sample Date	Dec 21, 2015	Dec 21, 2015		
	Sample Time	13:00	14:00		
	Sample Location				
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C		
	Matrix	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit
Trihalomethanes Screen - Water					
Chloroform	mg/L	0.030	0.027		0.001
Bromodichloromethane	mg/L	0.019	0.009		0.001
Dibromochloromethane	mg/L	0.010	0.003		0.001
Bromoform	mg/L	0.001	<0.001		0.001
Total Trihalomethanes	mg/L	0.060	0.039		0.001
Trihalomethanes - Surrogate Recovery					
Dibromofluoromethane	EPA Surrogate %	84	88		86-118
Toluene-d8	EPA Surrogate %	90	91		85-115
Bromofluorobenzene	EPA Surrogate %	89	91		86-115
Multiresidue Pesticides in Water					
Bifenox	ug/L	<0.5	<0.5		0.5
Bromopropylate	ug/L	<0.5	<0.5		0.5
Butralin	ug/L	<0.5	<0.5		0.5
Carboxin	ug/L	<0.5	<0.5		0.5
Chlorbromuron	ug/L	<0.5	<0.5		0.5
Chlorobenzilate	ug/L	<0.5	<0.5		0.5
Clomazone	ug/L	<0.5	<0.5		0.5
Crufomate	ug/L	<0.5	<0.5		0.5
Cypermethrin	ug/L	<0.5	<0.5		0.5
Cyprazine	ug/L	<0.5	<0.5		0.5
Deltamethrin	ug/L	<0.5	<0.5		0.5
Dialifos	ug/L	<0.5	<0.5		0.5
Dichloran	ug/L	<0.5	<0.5		0.5
Dimethachlor	ug/L	<0.5	<0.5		0.5
Dinitramine	ug/L	<0.5	<0.5		0.5
Diphenamid	ug/L	<0.5	<0.5		0.5
Ethofumesate	ug/L	<0.5	<0.5		0.5
Etrimfos	ug/L	<0.5	<0.5		0.5
Fenamiphos	ug/L	<0.5	<0.5		0.5
Fenson	ug/L	<0.5	<0.5		0.5
Fenvalerate	ug/L	<0.5	<0.5		0.5
Fluchloralin	ug/L	<0.5	<0.5		0.5
Heptenophos	ug/L	<0.5	<0.5		0.5
Iprodione	ug/L	<0.5	<0.5		0.5
Metazachlor	ug/L	<0.5	<0.5		0.5
Methoprene	ug/L	<0.5	<0.5		0.5

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

	Reference Number	1113421-1	1113421-2		
	Sample Date	Dec 21, 2015	Dec 21, 2015		
	Sample Time	13:00	14:00		
	Sample Location				
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C		
	Matrix	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit
Multiresidue Pesticides in Water - Continued					
Myclobutanil	ug/L	<0.5	<0.5		0.5
Norflurazon	ug/L	<0.5	<0.5		0.5
Paraoxon	ug/L	<0.5	<0.5		0.5
Pebulate	ug/L	<0.5	<0.5		0.5
Propanil	ug/L	<0.5	<0.5		0.5
Propargite	ug/L	<0.5	<0.5		0.5
Propiconazole	ug/L	<0.5	<0.5		0.5
Pyridaben	ug/L	<0.5	<0.5		0.5
Tebuconazole	ug/L	<0.5	<0.5		0.5
Terbacil	ug/L	<0.5	<0.5		0.5
Tetramethrin	ug/L	<0.5	<0.5		0.5
Triazophos	ug/L	<0.5	<0.5		0.5
Vernolate	ug/L	<0.5	<0.5		0.5
Multiresidue Pesticides - Water - Surrogate Rec.					
TPP	Surrogate	%	95	100	50-140
Organochlorine Pesticides in Water					
Aldrin	ug/L	<0.5	<0.5		0.5
BHC (alpha isomer)	ug/L	<0.5	<0.5		0.5
BHC (beta isomer)	ug/L	<0.5	<0.5		0.5
BHC (delta isomer)	ug/L	<0.5	<0.5		0.5
Captan	ug/L	<1	<1		1.0
Chlorbenside	ug/L	<0.5	<0.5		0.5
Chlordane-cis	ug/L	<0.5	<0.5		0.5
Chlordane-trans	ug/L	<0.5	<0.5		0.5
Chlorfenson	ug/L	<0.5	<0.5		0.5
Chlorothalonil	ug/L	<0.5	<0.5		0.5
Chlorthal-dimethyl	ug/L	<0.5	<0.5		0.5
DDD-o,p'	ug/L	<0.5	<0.5		0.5
DDD-p,p'	ug/L	<0.5	<0.5		0.5
DDE-o,p'	ug/L	<0.5	<0.5		0.5
DDE-p,p'	ug/L	<0.5	<0.5		0.5
DDT-o,p'	ug/L	<0.5	<0.5		0.5
DDT-p,p'	ug/L	<0.5	<0.5		0.5
Dichlofluanid	ug/L	<0.5	<0.5		0.5
Dieldrin	ug/L	<0.5	<0.5		0.5
Endosulfan I	ug/L	<0.5	<0.5		0.5

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

	Reference Number	1113421-1	1113421-2		
	Sample Date	Dec 21, 2015	Dec 21, 2015		
	Sample Time	13:00	14:00		
	Sample Location				
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C		
	Matrix	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit
Organochlorine Pesticides in Water - Continued					
Endosulfan II	ug/L	<0.5	<0.5		0.5
Endosulfan sulfate	ug/L	<0.5	<0.5		0.5
Endrin	ug/L	<0.5	<0.5		0.5
Folpet	ug/L	<1	<1		1.0
Heptachlor	ug/L	<0.2	<0.2		0.2
Heptachlor Epoxide	ug/L	<0.2	<0.2		0.2
Hexachlorobenzene	ug/L	<0.5	<0.5		0.5
Lindane	ug/L	<0.2	<0.2		0.2
Methoxychlor	ug/L	<0.5	<0.5		0.5
Mirex	ug/L	<0.5	<0.5		0.5
Nitrofen	ug/L	<0.5	<0.5		0.5
Permethrin-cis	ug/L	<0.5	<0.5		0.5
Permethrin-trans	ug/L	<0.5	<0.5		0.5
Procymidone	ug/L	<0.5	<0.5		0.5
Propachlor	ug/L	<0.5	<0.5		0.5
Quintozene	ug/L	<0.5	<0.5		0.5
Tecnazene	ug/L	<0.5	<0.5		0.5
Tetradifon	ug/L	<0.5	<0.5		0.5
Tolyfluanid	ug/L	<0.5	<0.5		0.5
Triadimefon	ug/L	<0.5	<0.5		0.5
Vinclozolin	ug/L	<0.5	<0.5		0.5
Organochlorine Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	98	104	50-140
Organophosphate Pesticides in Water					
Aspon	ug/L	<0.5	<0.5		0.5
Azinphos-ethyl	ug/L	<0.5	<0.5		0.5
Azinphos-methyl	ug/L	<0.5	<0.5		0.5
Bromophos	ug/L	<0.5	<0.5		0.5
Bromophos-ethyl	ug/L	<0.5	<0.5		0.5
Carbophenothion	ug/L	<0.5	<0.5		0.5
Chlorfenvinphos	ug/L	<0.5	<0.5		0.5
Chlormephos	ug/L	<0.5	<0.5		0.5
Chlorpyrifos	ug/L	<0.5	<0.5		0.5
Chlorpyrifos-methyl	ug/L	<0.5	<0.5		0.5
Chlorthiophos	ug/L	<0.5	<0.5		0.5
Cyanophos	ug/L	<0.5	<0.5		0.5

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

	Reference Number	1113421-1	1113421-2		
	Sample Date	Dec 21, 2015	Dec 21, 2015		
	Sample Time	13:00	14:00		
	Sample Location				
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C		
	Matrix	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit
Organophosphate Pesticides in Water - Continued					
Demeton	ug/L	<0.5	<0.5		0.5
Diazinon	ug/L	<0.5	<0.5		0.5
Dichlofenthion	ug/L	<0.5	<0.5		0.5
Dimethoate	ug/L	<0.5	<0.5		0.5
Disulfoton	ug/L	<0.5	<0.5		0.5
Ethion	ug/L	<0.5	<0.5		0.5
Fenchlorphos	ug/L	<0.5	<0.5		0.5
Fenitrothion	ug/L	<0.5	<0.5		0.5
Fenthion	ug/L	<0.5	<0.5		0.5
Fonofos	ug/L	<0.5	<0.5		0.5
Isofenphos	ug/L	<0.5	<0.5		0.5
Malaoxon	ug/L	<0.5	<0.5		0.5
Malathion	ug/L	<0.5	<0.5		0.5
Methyl Parathion	ug/L	<0.5	<0.5		0.5
Mevinphos	ug/L	<0.5	<0.5		0.5
Parathion	ug/L	<0.5	<0.5		0.5
Phorate	ug/L	<0.5	<0.5		0.5
Phosalone	ug/L	<0.5	<0.5		0.5
Phosmet	ug/L	<0.5	<0.5		0.5
Phosphamidon	ug/L	<0.5	<0.5		0.5
Pirimiphos-ethyl	ug/L	<0.5	<0.5		0.5
Pirimiphos-methyl	ug/L	<0.5	<0.5		0.5
Profenofos	ug/L	<0.5	<0.5		0.5
Pyrazophos	ug/L	<0.5	<0.5		0.5
Quinalophos	ug/L	<0.5	<0.5		0.5
Sulfotep	ug/L	<0.5	<0.5		0.5
Terbufos	ug/L	<0.5	<0.5		0.5
Tetrachlorvinphos	ug/L	<0.5	<0.5		0.5
Organophosphate Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	98	104	50-140
Neutral Herbicides in Water					
Alachlor	ug/L	<0.5	<0.5		0.5
Benfluralin	ug/L	<0.5	<0.5		0.5
Butylate	ug/L	<0.5	<0.5		0.5
Chlorpropham	ug/L	<0.5	<0.5		0.5
Diallate	ug/L	<0.5	<0.5		0.5

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

	Reference Number	1113421-1	1113421-2		
	Sample Date	Dec 21, 2015	Dec 21, 2015		
	Sample Time	13:00	14:00		
	Sample Location				
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C		
	Matrix	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit
Neutral Herbicides in Water - Continued					
Dichlobenil	ug/L	<0.5	<0.5		0.5
Diclofop-methyl	ug/L	<0.5	<0.5		0.5
Diphenylamine	ug/L	<0.5	<0.5		0.5
Eptam (EPTC)	ug/L	<0.5	<0.5		0.5
Ethalfuralin	ug/L	<0.5	<0.5		0.5
Fenoxaprop-ethyl	ug/L	<0.5	<0.5		0.5
Fluazifop-p-butyl	ug/L	<0.5	<0.5		0.5
Hexazinone	ug/L	<0.5	<0.5		0.5
Metalaxyl	ug/L	<0.5	<0.5		0.5
Metolachlor	ug/L	<0.5	<0.5		0.5
Metribuzin	ug/L	<0.5	<0.5		0.5
Pirimicarb	ug/L	<0.5	<0.5		0.5
Profluralin	ug/L	<0.5	<0.5		0.5
Prometryn	ug/L	<0.5	<0.5		0.5
Propazine	ug/L	<0.5	<0.5		0.5
Propyzamide	ug/L	<0.5	<0.5		0.5
Quizalofop-ethyl	ug/L	<0.5	<0.5		0.5
Simetryn	ug/L	<0.5	<0.5		0.5
Terbuthylazine	ug/L	<0.5	<0.5		0.5
Terbutryn	ug/L	<0.5	<0.5		0.5
Triallate	ug/L	<0.5	<0.5		0.5
Trifluralin	ug/L	<0.5	<0.5		0.5
Neutral Herbicides - Water - Surrogate Recovery					
TPP	Surrogate	%	98	104	50-140
Carbamates in Water					
3-Hydroxycarbofuran	ug/L	<0.02	<0.02		0.02
Aldicarb	ug/L	<0.02	<0.02		0.02
Aldicarb sulfone	ug/L	<0.02	<0.02		0.02
Aldicarb sulfoxide	ug/L	<0.02	<0.02		0.02
Bendiocarb	ug/L	<0.02	<0.02		0.02
BPMC	ug/L	<0.02	<0.02		0.02
Carbaryl	ug/L	<0.02	<0.02		0.02
Carbofuran	ug/L	<0.02	<0.02		0.02
Imidacloprid	ug/L	<0.02	<0.02		0.02
Methiocarb	ug/L	<0.02	<0.02		0.02
Methomyl	ug/L	<0.02	<0.02		0.02

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

	Reference Number	1113421-1	1113421-2	
	Sample Date	Dec 21, 2015	Dec 21, 2015	
	Sample Time	13:00	14:00	
	Sample Location			
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C	
	Matrix	Water	Water	
Analyte	Units	Results	Results	Results
Carbamates in Water - Continued				
Oxamyl	ug/L	<0.02	<0.02	Nominal Detection Limit 0.02
Promecarb	ug/L	<0.02	<0.02	0.02
Propoxur	ug/L	<0.02	<0.02	0.02

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

		Reference Number	1113421-1	1113421-2	1113421-3	
		Sample Date	Dec 21, 2015	Dec 21, 2015	Dec 21, 2015	
		Sample Time	13:00	14:00	11:00	
		Sample Location				
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C	Islay / 10°C		
	Matrix	Water	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Metals Dissolved						
Silicon	Dissolved	mg/L	6.14	4.04	6.87	0.05
Sulfur	Dissolved	mg/L	78.8	186	91.4	0.3
Mercury	Dissolved	mg/L	<0.000005	<0.000005	<0.000005	0.000005
Aluminum	Dissolved	mg/L	<0.002	<0.004	<0.002	0.002
Antimony	Dissolved	mg/L	<0.0002	<0.0004	<0.0002	0.0002
Arsenic	Dissolved	mg/L	0.0056	<0.0004	0.0006	0.0002
Barium	Dissolved	mg/L	0.018	0.004	0.020	0.001
Beryllium	Dissolved	mg/L	<0.0001	<0.0002	<0.0001	0.0001
Bismuth	Dissolved	mg/L	<0.0005	<0.001	<0.0005	0.0005
Boron	Dissolved	mg/L	0.667	0.855	0.172	0.002
Cadmium	Dissolved	mg/L	<0.00001	<0.00002	<0.00001	0.00001
Chromium	Dissolved	mg/L	<0.0005	<0.001	<0.0005	0.0005
Cobalt	Dissolved	mg/L	<0.0001	<0.0002	<0.0001	0.0001
Copper	Dissolved	mg/L	0.126	0.031	0.01	0.001
Lead	Dissolved	mg/L	0.0002	0.0003	0.0002	0.0001
Lithium	Dissolved	mg/L	0.084	0.16	0.087	0.001
Molybdenum	Dissolved	mg/L	0.005	<0.002	0.001	0.001
Nickel	Dissolved	mg/L	<0.0005	<0.001	<0.0005	0.0005
Selenium	Dissolved	mg/L	<0.0002	<0.0004	<0.0002	0.0002
Silver	Dissolved	mg/L	<0.00001	<0.00002	<0.00001	0.00001
Strontium	Dissolved	mg/L	0.786	0.767	1.11	0.001
Thallium	Dissolved	mg/L	<0.00005	<0.0001	<0.00005	0.00005
Tin	Dissolved	mg/L	<0.001	<0.002	<0.001	0.001
Titanium	Dissolved	mg/L	<0.0005	<0.001	<0.0005	0.0005
Uranium	Dissolved	mg/L	0.0007	<0.001	0.0016	0.0005
Vanadium	Dissolved	mg/L	<0.0001	<0.0002	<0.0001	0.0001
Zinc	Dissolved	mg/L	0.003	0.021	0.005	0.001
Subsample	Field Filtered		Field Filtered	Field Filtered	Field Filtered	
Routine Water						
pH			8.03	8.07	7.88	
Temperature of observed		°C	20.9	20.9	20.8	
pH						
Electrical Conductivity	at 25 °C	uS/cm	1500	2330	1390	1
Calcium	Dissolved	mg/L	69.2	37.7	116	0.2
Magnesium	Dissolved	mg/L	20.6	21.7	41.9	0.2
Sodium	Dissolved	mg/L	233	508	128	0.4
Potassium	Dissolved	mg/L	3.8	4.4	4.9	0.4

Analytical Report

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

	Reference Number	1113421-1	1113421-2	1113421-3		
	Sample Date	Dec 21, 2015	Dec 21, 2015	Dec 21, 2015		
	Sample Time	13:00	14:00	11:00		
	Sample Location					
	Sample Description	Blackfoot / 10°C	Mclaughlin / 10°C	Islay / 10°C		
	Matrix	Water	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Routine Water - Continued						
Iron	Dissolved	mg/L	0.07	0.07	0.03	0.01
Manganese	Dissolved	mg/L	0.005	<0.01	<0.005	0.005
Chloride	Dissolved	mg/L	29.6	28.7	26.4	0.4
Nitrate - N		mg/L	0.02	<0.05	0.32	0.01
Nitrite - N		mg/L	<0.005	<0.025	<0.005	0.005
Nitrate and Nitrite - N		mg/L	0.02	<0.07	0.32	0.01
Sulfate (SO4)	Dissolved	mg/L	237	558	274	0.9
Hydroxide		mg/L	<5	<5	<5	5
Carbonate		mg/L	<6	<6	<6	6
Bicarbonate		mg/L	636	705	542	5
P-Alkalinity	as CaCO3	mg/L	<5	<5	<5	5
T-Alkalinity	as CaCO3	mg/L	522	578	444	5
Total Dissolved Solids	Calculated	mg/L	905	1510	859	1
Hardness	Dissolved as CaCO3	mg/L	257	183	463	
Ionic Balance	Dissolved	%	95	108	97	

Approved by: 
Anthony Neumann, MSc
Laboratory Operations Manager

Data have been validated by Analytical Quality Control and Exova's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: County of Vermilion River #24	Project:	Lot ID: 1113421
Report To: County of Vermilion River #24	ID: Annual Samples	Control Number: B040804
Box 69	Name:	Date Received: Dec 21, 2015
Kitscoty, AB, Canada	Location:	Date Reported: Dec 30, 2015
TOB 2P0	LSD:	Report Number: 2071295
Attn: Darrell Stefanick	P.O.:	
Sampled By: Cory Cote	Acct code:	
Company: County of Vermilion River		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Alkalinity, pH, and EC in water	APHA	* Alkalinity - Titration Method, 2320 B	22-Dec-15	Exova Edmonton
Alkalinity, pH, and EC in water	APHA	* Conductivity, 2510 B	22-Dec-15	Exova Edmonton
Alkalinity, pH, and EC in water	APHA	* pH - Electrometric Method, 4500-H+ B	22-Dec-15	Exova Edmonton
Anions (Routine) by Ion Chromatography	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	23-Dec-15	Exova Edmonton
Approval-Edmonton	APHA	Checking Correctness of Analyses, 1030 E	22-Dec-15	Exova Edmonton
Carbamates - Water	US EPA	* N-methylcarbamates by High Performance Liquid Chromatography (HPLC), 8318	23-Dec-15	Exova Calgary
Chloride in Water	APHA	* Automated Ferricyanide Method, 4500-Cl-E	23-Dec-15	Exova Edmonton
FV2 Pesticides - Water	JAOAC	* Multi-Res Determination of Pesticides in FV by GC-MSD & LC, vol78	23-Dec-15	Exova Calgary
Mercury (Dissolved) in water	APHA	* Cold Vapour Atomic Absorption Spectrometric Method, 3112 B	22-Dec-15	Exova Edmonton
Metals ICP-MS (Dissolved) in water	APHA/USEPA	* Metals By Inductively Coupled Plasma/Mass Spectrometry, APHA 3125 B / USEPA 200.2, 200.8	23-Dec-15	Exova Edmonton
Metals Trace (Dissolved) in water	APHA	Hardness by Calculation, 2340 B	23-Dec-15	Exova Edmonton
Metals Trace (Dissolved) in water	APHA	* Inductively Coupled Plasma (ICP) Method, 3120 B	23-Dec-15	Exova Edmonton
Neutral Herbicides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	23-Dec-15	Exova Calgary
Organochlorine Pesticides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	23-Dec-15	Exova Calgary
Organophosphate Pesticides - Water	US EPA	* OP Compounds by GC: Capillary Column Technique, 8141B	23-Dec-15	Exova Calgary
THM - Water	US EPA	* US EPA method, 524	23-Dec-15	Exova Calgary

* Reference Method Modified

References

APHA	Standard Methods for the Examination of Water and Wastewater
JAOAC	J. Assoc. Off. Anal. Chem.
US EPA	US Environmental Protection Agency Test Methods

Methodology and Notes

Bill To:	County of Vermilion River #24	Project:		Lot ID:	1113421
Report To:	County of Vermilion River #24	ID:	Annual Samples	Control Number:	B040804
	Box 69	Name:		Date Received:	Dec 21, 2015
	Kitscoty, AB, Canada	Location:		Date Reported:	Dec 30, 2015
	TOB 2P0	LSD:		Report Number:	2071295
Attn:	Darrell Stefanick	P.O.:			
Sampled By:	Cory Cote	Acct code:			
Company:	County of Vermilion River				

Comments:

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.



Project Information

Project ID: Annual Samples
 Project Name: _____
 Project Location: _____
 Legal Location: _____
 PO/AFE#: _____
 Proj. Acct. Code: _____

Billing Information

Company: County of Vermilion River
 Address: _____
 Attention: Darrell
 Phone: _____
 Cell: 780-871-8616
 Fax: _____
 E-mail: d.stefanick@county2r.com
 Agreement ID: _____
 Copy of report: _____

Copy of Report To:

Company: _____
 Address: _____
 Attention: _____
 Phone: _____
 Cell: _____
 Fax: _____
 E-mail: _____
 Copy of invoice: _____

RUSH Priority

Upon filling out this section, client accepts that surcharges will be applied to the analysis

Date Required: _____
 As Indicated: All Analysis

When "ASAP" is requested, turn around will default to a 100% RUSH priority, with pricing and turn around time to match. Please contact the lab prior to submitting RUSH samples.

Signature: _____

Report Results: E-mail Online PDF
 Mail Fax Excel

Special Instructions/Comments (please include contact information including ph. # if different from above).
TAT - regular

QA/QC Report:

Include Regulatory Requirements Below: _____

Number of Containers: positive water analysis
Dissolved Metals
MRTW
THM

Sample Custody (please print)
 Sampled by: Cory Cote
 Company: County of Vermilion River
 I authorize Exova to proceed with the work indicated on this form:
 Date: Dec. 21 2015 Initial: C.D.C.

This section for Lab use only

Date/Time stamp:
Dec 21/15 15:50.

Sample Identification	Location	Depth IN CM M	Date/Time sampled	Matrix	Sampling Method	↓	Enter tests above (√ relevant samples below)	Indicate below any deficiencies in the condition of samples:
1 <u>Blackfoot</u>			<u>Dec. 21 2015 1:00pm</u>			<u>7</u>	<u>✓</u>	Were Exova supplies used?
2 <u>McLaughlin</u>			<u>Dec. 21 2015 2:00pm</u>			<u>7</u>	<u>✓</u>	Were the containers packaged well?
3 <u>Islay</u>			<u>Dec. 21 2015 11:00 AM</u>			<u>4</u>	<u>✓</u>	Were any extra samples received (document below)?
4								Are samples within recommended holding times/temp?
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								

Environmental Sample Information Sheet

Note: Proper completion of this form is required in order to proceed with analysis

Please indicate any potentially hazardous samples

Page 1 of 1 Control # B040804

Lot: **1113421** COC

Shipping: _____ # and size of coolers received: _____
 COD Y/N _____
 Cooler temp: 10°C Delivery Method: _____
 Waybill: _____
 Received by: Anderson Torres

ED 120-00